

KENDRIYA VIDYALAYA SANGATHAN, CHENNAI REGION
CLASS: XII SESSION: 2024-25
PREBOARD
COMPUTER SCIENCE (083)

Time allowed: 3 Hours

Maximum Marks: 70

General Instructions:

- This question paper contains 37 questions.
- All questions are compulsory. However, internal choices have been provided in some questions. Attempt only one of the choices in such questions
- The paper is divided into 5 Sections- A, B, C, D and E.
- Section A consists of 21 questions (1 to 21). Each question carries 1 Mark.
- Section B consists of 7 questions (22 to 28). Each question carries 2 Marks.
- Section C consists of 3 questions (29 to 31). Each question carries 3 Marks.
- Section D consists of 4 questions (32 to 35). Each question carries 4 Marks.
- Section E consists of 2 questions (36 to 37). Each question carries 5 Marks.
- All programming questions are to be answered using Python Language only.
- In case of MCQ, text of the correct answer should also be written.

Q No.	Section-A (21 x 1 = 21 Marks)	Marks
1	State True or False In Python, a dictionary is an ordered collection of items(key:value pairs).	1
2	State the output of the following L1=[1,2,3] L2=L1 L1.append(7) L2.insert(2,14) L1.remove(1) print(L1) i) [1,3,7] ii) [2,3,7] iii) [1,14,3,7] iv) [2,14,3,7]	1
3	The following expression will evaluate to print(2+(3%5)**1**2/5+2) i) 5 ii) 4.6 iii) 5.8 iv) 4	1
4	What is the output of the expression? Food='Chinese Continental' print(food.split('n')) i) ('', 'hinese ', 'ontinental') ii) ['', 'hinese ', 'ontinental'] iii) ('hinese ', 'ontinental') iv) ['hinese ', 'ontinental']	1
5	What will be output of the following code snippet? Msg='Wings of Fire!' print (Msg[-9: :2])	1
6	What will be the output of the following: T1=(10) print(T1*10) i) 10 ii) 100 iii)(10,10) iv(10,)	1
7	If farm is a t as defined below, then which of the following will cause an exception? farm={'goat':5,'sheep':35,'hen'=10,'pig'=7'} i) print(str(farm)) ii) print(farm['sheep','hen']) iii) print(farm.get('goat')) iv) farm['pig']=17	1
8	What does the replace('e','h') method of string does? i) Replaces the first occurrence of 'e' to 'h'	1

	ii) Replaces the first occurrence of 'h' to 'e' iii) Replace all occurrences of 'e' to 'h' iv) Replaces all occurrences of 'h' to 'e'	
9	If a table has 1 primary key and 3 candidate key, how many alternate keys will be in the table. i) 4 ii) 3 iii) 2 iv) 1	1
10	Write the missing statement to complete the following code <pre> file = open("story.txt") t1 = file.read(10) _____ #Move the file pointer to the beginning of the file t2= file.read(50) print(t1+t2) file.close() </pre>	1
11	Which of the following keyword is used to pass the control to the except block in Exceptional handling? i) pass ii) finally iii) raise iv) throw	1
12	What will be the output of the following code: <pre> sal = 5000 def inc_sal(per): global sal inc = sal * (per / 100) sal += inc inc_sal(10) print(sal,end='%') sal=6000 print(sal,end='\$') </pre> i) 5000%6000\$ ii) 5500.0%6000\$ iii) 5000.0\$6000% iv) 5500%5500\$	1
13	State the sql command used to add a column to an existing table?	1
14	What will be the output of the following query? Mysql> SELECT * FROM CUSTOMER WHERE CODE LIKE '_A%' A) Customer details whose code's middle letter is A B) Customers name whose code's middle letter is A C) Customers details whose code's second letter is A D) Customers name whose code's second letter is A	1
15	Sushma created a table named Person with name as char(20) and address as varchar(40). She inserted a record with "Adithya Varman" and address as "Vaanam Illam, Anna Nagar IV Street". State how much bytes would have been saved for this record. i)(20,34) ii)(30,40) iii)(14,40) iv)14,34)	1
16	_____ gives the number of values present in an attribute of a relation. a)count(distinct col) b)sum(col) c)count(col) d)sum(distinct col)	1
17	The protocol used identify the corresponding url from ip address is _____ a)IP b)HTTP c)TCP d)FTP	1
18	The device used to convert analog signal to digital signal and vice versa is .. a)Amplifier b)Router c)Modem d)Switch	1
19	In _____ switching technique, data is divided into chunks of packets and travels through different paths and finally reach the destination.	1
	Q20 and Q21 are Assertion(A) and Reason(R) based questions. Mark the correct choice as: (A) Both A and R are true and R is the correct explanation for A (B) Both A and R are true and R is not the correct explanation for A (C) A is True but R is False (D) A is False but R is True	
20	Assertion (A) : A function can have multiple return statements	1

	(B)Write an SQL command to remove the column remarks from the table name customer.	
28	List one advantage and disadvantage of star and bus topology OR Define DNS and state the use of Internet Protocol.	2

Q No.	Section-C (3 x 3 = 9 Marks)	Marks
29	(A) Write a function that counts no of words beginning with a capital letter from the text file RatanJi.txt Example: If you want to Walk Fast, Walk Alone. But - if u want to Walk Far, Walk Together Output: No of words starting with capital letter : 10 OR (B) Write a function that displays the line number along with no of words in it from the file Quotes.txt Example : None can destroy iron, but its own rust can! Likewise, none can destroy a person, but their own mindset can The only way to win is not be afraid of losing. Output: Line Number No of words Line 1: 9 Line 2: 11 Line 3: 11	3
30	(A) There is a stack named Uniform that contains records of uniforms Each record is represented as a list containing uid, uame, ucolour, useize, uprice. Write the following user-defined functions in python to perform the specified operations on the stack Uniform : (I) Push_Uniform(new_uniform):adds the new uniform record onto the stack (II) Pop_Uniform(): pops the topmost record from the stack and returns it. If the stack is already empty, the function should display “underflow”. (III) Peep(): This function diplay the topmost element of the stack without deleting it.if the stack is empty,the function should display ‘None’. OR (a) Write the definition of a user defined function push_words(N) which accept list of words as parameter and pushes words starting with A into the stack named InspireA (b) Write the function pop_words(N) to pop topmost word from the stack and return it. if the stack is empty, the function should display “Empty”.	3
31	Predict the output of the Python code given below:	3

	<pre> Con1="SILENCE-HOPE-SUCCEss@25" Con2="" i=0 while i<len(Con1): if Con1[i]>='0' and Con1[i]<='9': Num=int(Con1[i]) Num-=1 Con2=Con2+str(Num) elif Con1[i]>='A' and Con1[i]<='Z': Con2=Con2+Con1[i+1] else: Con2=Con2+'^' i+=1 print(Con2) </pre>	
--	---	--

Q No.	Section-D (4 x 4 = 16 Marks)							Marks
32	Consider the following table named Vehicle and state the query or state the output Table:- Vehicle							4
	VID	LicensePlate	VType	Owner	Cost	Contact	State	
	1	MH12AB1234	Car	Raj Kumar	65	9876543210	Maharastra	
	2	DL3CDE5678	Truck	Arjith Singh	125	8765432109	New Delhi	
	3	KA04FG9012	Motor cycle	Prem Sharma		9123456789	Karnataka	
	4	TN07GH3456	SUV	Shyad Usman	65	9987654321	Tamil Nadu	
	5	KA01AB1234	Car	Devid jhon	65	9876543210	Karnataka	
	6	TN02CD5678	Truck	Anjali Iyer	125	8765432109	Tamil Nadu	
	7	AP03EF9012	Motor cycle	Priya Reddy		9123456789	Andhra Pradesh	
	(A) (i) To display number of different vehicle type from the table vehicle (ii) To display number of records entered vehicle type wise whose minimum cost is above 80 (iii)To set the cost as 45 for those vehicles whose cost is not mentioned (iv)To remove all motor cycle from vehicle OR (B) (i) SELECT VTYPE,AVG(COST) FROM VEHICLE GROUP BY VTYPE; (ii) SELECT OWNER ,VTYPE,CONTACT FROM VEHICLE WHERE OWNER LIKE "P%"; (iii)SELECT COUNT(*) FROM VEHICLE WHERE COST IS NULL; (iv)SELECT MAX(COST) FROM VEHICLE;							
33	A CSV file "Movie.csv" contains data of movie details. Each record of the file contains the following data: 1.Movie id 2.Movie name 3.Genere 4.Language 5.Released date For example, a sample record of the file may be: ["tt0050083", '12 Angry Men is', 'Thriller'. 'Hindi', '12/04/1957'] Write the following functions to perform the specified operations on this file							4

	(i) Read all the data from the file in the form of the list and display all those records for which language is in Hindi. (ii) Count the number of records in the file.																																																																										
34	Salman has been entrusted with the management of Airlines Database. He needs to access some information from Airports and Flights tables for a survey. Help him extract the following information by writing the desired SQL queries as mentioned below. Table - Airports <table><tr><th>A_ID</th><th>A_Name</th><th>City</th><th>IATACode</th></tr><tr><td>1</td><td>Indira Gandhi Intl</td><td>Delhi</td><td>DEL</td></tr><tr><td>2</td><td>Chhatrapati Shivaji Intl</td><td>Mumbai</td><td>BOM</td></tr><tr><td>3</td><td>Rajiv Gandhi Intl</td><td>Hyderabad</td><td>HYD</td></tr><tr><td>4</td><td>Kempegowda Intl</td><td>Bengaluru</td><td>BLR</td></tr><tr><td>5</td><td>Chennai Intl</td><td>Chennai</td><td>MAA</td></tr><tr><td>6</td><td>Netaji Subhas Chandra Bose Intl</td><td>Kolkata</td><td>CCU</td></tr></table> Table - Flights <table><tr><th>F_ID</th><th>A_ID</th><th>F_No</th><th>Departure</th><th>Arrival</th></tr><tr><td>1</td><td>1</td><td>6E 1234</td><td>DEL</td><td>BOM</td></tr><tr><td>2</td><td>2</td><td>AI 5678</td><td>BOM</td><td>DEL</td></tr><tr><td>3</td><td>3</td><td>SG 9101</td><td>BLR</td><td>MAA</td></tr><tr><td>4</td><td>4</td><td>UK 1122</td><td>DEL</td><td>CCU</td></tr><tr><td>5</td><td>1</td><td>AI 101</td><td>DEL</td><td>BOM</td></tr><tr><td>6</td><td>2</td><td>6E 204</td><td>BOM</td><td>HYD</td></tr><tr><td>7</td><td>1</td><td>AI 303</td><td>HYD</td><td>DEL</td></tr><tr><td>8</td><td>3</td><td>SG 404</td><td>BLR</td><td>MAA</td></tr></table> i) To display airport name, city, flight id, flight number corresponding flights whose departure is from delhi ii) Display the flight details of those flights whose arrival is BOM, MAA or CCU iii) To delete all flights whose flight number starts with 6E. iv) (A) To display Cartesian Product of two tables OR (B) To display airport name,city and corresponding flight number	A_ID	A_Name	City	IATACode	1	Indira Gandhi Intl	Delhi	DEL	2	Chhatrapati Shivaji Intl	Mumbai	BOM	3	Rajiv Gandhi Intl	Hyderabad	HYD	4	Kempegowda Intl	Bengaluru	BLR	5	Chennai Intl	Chennai	MAA	6	Netaji Subhas Chandra Bose Intl	Kolkata	CCU	F_ID	A_ID	F_No	Departure	Arrival	1	1	6E 1234	DEL	BOM	2	2	AI 5678	BOM	DEL	3	3	SG 9101	BLR	MAA	4	4	UK 1122	DEL	CCU	5	1	AI 101	DEL	BOM	6	2	6E 204	BOM	HYD	7	1	AI 303	HYD	DEL	8	3	SG 404	BLR	MAA	4
A_ID	A_Name	City	IATACode																																																																								
1	Indira Gandhi Intl	Delhi	DEL																																																																								
2	Chhatrapati Shivaji Intl	Mumbai	BOM																																																																								
3	Rajiv Gandhi Intl	Hyderabad	HYD																																																																								
4	Kempegowda Intl	Bengaluru	BLR																																																																								
5	Chennai Intl	Chennai	MAA																																																																								
6	Netaji Subhas Chandra Bose Intl	Kolkata	CCU																																																																								
F_ID	A_ID	F_No	Departure	Arrival																																																																							
1	1	6E 1234	DEL	BOM																																																																							
2	2	AI 5678	BOM	DEL																																																																							
3	3	SG 9101	BLR	MAA																																																																							
4	4	UK 1122	DEL	CCU																																																																							
5	1	AI 101	DEL	BOM																																																																							
6	2	6E 204	BOM	HYD																																																																							
7	1	AI 303	HYD	DEL																																																																							
8	3	SG 404	BLR	MAA																																																																							
35	A table named Event in VRMALL database has the following structure: <table><tr><th>Field</th><th>Type</th></tr><tr><td>EventID</td><td>int(9)</td></tr><tr><td>EventName</td><td>varchar(25)</td></tr><tr><td>EventDate</td><td>date</td></tr><tr><td>Description</td><td>varchar(30)</td></tr></table> Write the following Python function to perform the specified operations: Input_Dispatch(): to input details of an event from the user and store into the table Event. The function should then display all the records organised in the year 2024. Assume the following values for Python Database Connectivity Host-localhost, user-root, password-tiger	Field	Type	EventID	int(9)	EventName	varchar(25)	EventDate	date	Description	varchar(30)	4																																																															
Field	Type																																																																										
EventID	int(9)																																																																										
EventName	varchar(25)																																																																										
EventDate	date																																																																										
Description	varchar(30)																																																																										

Q No.	Section-E (2 x 5 = 10 Marks)	Marks
36	Ms Joshika is the Lab Attendant of the school. She is asked to maintain the project details of the project synopsis submitted by students for upcoming Board Exams. The information required are: -prj_id - integer -prj_name-string -members-integer -duration-integer (no of months)	5

	As a programmer of the school u have been asked to do this job for Joshika and define the following functions. i) Prj_input() - to input data of a project of student and append to the binary file named Projects ii) Prj_update() - to update the project details whose member are more than 3 duration as 3 months. iii) Prj_solo() - to read the data from the binary file and display the data of all project synopsis whose member is one.																							
37	P&O Nedllyod Container Line Limited has its headquarters at London and regional office at Mumbai. At Mumbai office campus they planned to have four blocks for HR, Accts, Logistics and Admin related work. Each block has number of computers connected to a network for communication, data and resource sharing As a network consultant, you have to suggest best network related solutions for the issues/problems raised in (i) to (v), keeping in mind the given parameters London Head Office REGIONAL OFFICE MUMBAI HR ADMIN Accts Logistics Distances between various blocks/locations: <table><tr><td>Admin to HR</td><td>500m</td></tr><tr><td>Accts to Admin</td><td>100m</td></tr><tr><td>Accts to HR</td><td>300m</td></tr><tr><td>Logistics to Admin</td><td>200m</td></tr><tr><td>HR to logistics</td><td>450m</td></tr><tr><td>Accts to logistics</td><td>600m</td></tr></table> Number of computers installed at various blocks are as follows: <table><tr><td>Block</td><td>No of computers</td></tr><tr><td>ADMIN</td><td>95</td></tr><tr><td>HR</td><td>70</td></tr><tr><td>Accts</td><td>45</td></tr><tr><td>Logistics</td><td>28</td></tr></table> i) Suggest the most appropriate block to place the sever in Mumbai office. Justify your answer. ii) State the best wired medium to efficiently connect various blocks within the Mumbai Office. iii) Draw the ideal cable layout (block to block) for connecting these blocks for wired connectivity. iv) The company wants to conduct an online meeting with heads of regional office and headquarter. Which protocol will be used for the effective voice communication? v) Suggest the best place to house the following a) Repeater b) Switch	Admin to HR	500m	Accts to Admin	100m	Accts to HR	300m	Logistics to Admin	200m	HR to logistics	450m	Accts to logistics	600m	Block	No of computers	ADMIN	95	HR	70	Accts	45	Logistics	28	5
Admin to HR	500m																							
Accts to Admin	100m																							
Accts to HR	300m																							
Logistics to Admin	200m																							
HR to logistics	450m																							
Accts to logistics	600m																							
Block	No of computers																							
ADMIN	95																							
HR	70																							
Accts	45																							
Logistics	28																							