



Q. Solve $x^2 \frac{d^2y}{dx^2} + x \frac{dy}{dx} + 4y = \log x \sin(\log x)$

Soln.

Given $[x^2 D^2 + xD + 4] y = \log x \sin(\log x)$ L.H.S.

Take

$$x = e^z$$

$$\log x = z$$

$$xD = D^1 ; x^2 D^2 = D^1(D^1 - 1) \\ = D^{1^2} - D^1$$



SNS COLLEGE OF TECHNOLOGY
 (An Autonomous Institution)
 Coimbatore-641035.



UNIT-II ORDINARY DIFFERENTIAL EQUATIONS

Cauchy's Linear Differential Equation

$$\text{Given } [D^2 - D' + D' + 4]y = x \sin x \\ [D^2 + 4]y = x \sin x$$

AE

$$m^2 + 4 = 0$$

$$m^2 = -4$$

$$m = \pm 2i$$

$$CF = A \cos 2x + B \sin 2x$$

$$\begin{aligned} PI &= \frac{1}{D^2 + 4} x \sin x \\ &= x \cdot \frac{1}{D^2 + 4} \sin x - \frac{2D'}{(D^2 + 4)^2} \sin x \\ &= x \cdot \frac{1}{-1+4} \sin x - \frac{2 \cos x}{(-1+4)^2} \\ &= \frac{x \sin x}{3} - \frac{2 \cos x}{9} \end{aligned}$$

$D' \rightarrow -a^2$
 $= -1^2$
 $= -1$

The soln. is

$$\begin{aligned} y &= CF + PI \\ y &= A \cos 2x + B \sin 2x + \frac{x \sin x}{3} - \frac{2 \cos x}{9} \\ &= A \cos 2(\log x) + B \sin 2(\log x) \\ &\quad + \frac{\log x \cdot \sin 2(\log x)}{3} - \frac{2}{9} \cos 2(\log x) \end{aligned}$$

H). Solve $(x^2 D^2 - xD + p) y = \log x$

Soln.

$$\text{Given } (x^2 D^2 - xD + p) y = \log x \rightarrow (1)$$

$$\text{Take } x = e^x$$

$$x = \log x$$

$$xD = D'$$

$$x^2 D^2 = D' (D' - D = D'^2 - D')$$



Scanned with
CamScanner



$$(1) \Rightarrow (D^2 - D^1 - D^1 + 1)y = x \\ (D^2 - 2D^1 + 1)y = x$$

AE $m^2 - 2m + 1 = 0$
 $(m+1)(m-1) = 0$

$$m = 1, 1$$

$$\therefore CF = (A + BX)e^x$$

$$\begin{aligned} PI &= \frac{1}{D^2 - 2D^1 + 1} x \\ &= [1 + (D^2 - 2D^1)]^{-1} x \\ &= [-(D^2 - 2D^1) + (D^2 - 2D^1)^2 - \dots] x \\ &= x - D^2 x + 2D^1 x \end{aligned}$$

$$PI = x + 2$$

\therefore The soln. is, $y = CF + PI$

$$y = (A + BX)e^x + x + 2$$

$$y = (A + B \log x)x + \log x + 2$$

