

# SNS COLLEGE OF TECHNOLOGY



# An Autonomous Institution Coimbatore-35

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

# DEPARTMENT OF ELECTRICAL AND ELECTRONICS ENGINEERING 19GET276 - VQAR II

II YEAR/ IV SEMESTER

# **UNIT 1 – QUANTITATIVE ABILITY III**

**TOPIC - RACES** 





- Races: A contest of speed in running, riding, driving, sailing or rowing is called a race.
- Race Course: The ground or path on which contests are made is called a race course.
- Starting Point: The point from which a race begins is known as a starting point.
- Winning Point or Goal: The point set to bound a race is called a winning point or a goal.
- Winner: The person who first reaches the winning point is called a winner.
- Dead Heat Race: If all the persons contesting a race reach the goal exactly at the same time, the race is said to be dead heat race.



7. Start: Suppose A and B are two contestants in a race. If before the start of the race, A is at the starting point and B is ahead of A by 12 metres, then we say that 'A gives B, a start of 12 metres'.

To cover a race of 100 metres in this case, A will have to cover 100 metres while B will have to cover only (100 - 12) = 88 metres.

In a 100 race, 'A can give B 12 m' or 'A can give B a start of 12 m' or 'A beats B by 12 m' means that while A runs 100 m, B runs (100 - 12) = 88 m.

8. Games: 'A game of 100, means that the person among the contestants who scores 100 points first is the winner'.

If A scores 100 points while B scores only 80 points, then we say that 'A can give B 20 points'.





In a 100 m race, A can give B 10 m and C 28 m. In the same race B can give C:

- A. 18 m
- B. 20 m
- C. 27 m
- D. 9 m

#### Answer: Option B

#### Explanation:

A:B=100:90.

A: C = 100: 72.

B: C = 
$$\frac{B}{A} \times \frac{A}{C} = \frac{90}{100} \times \frac{100}{72} = \frac{90}{72}$$
.

When B runs 90 m, C runs 72 m.

When B runs 100 m, C runs  $(\frac{72}{90} \times 100)$  m = 80 m.

→ B can give C 20 m.



# The state of the s

# **RACES**



A and B take part in 100 m race. A runs at 5 kmph. A gives B a start of 8 m and still beats him by 8 seconds. The speed of B is:

- A. 5.15 kmph
- B. 4.14 kmph
- C. 4.25 kmph
- D. 4.4 kmph

#### Answer: Option B

#### Explanation:

A's speed = 
$$\left(5 \times \frac{5}{18}\right)$$
 m/sec =  $\frac{25}{18}$  m/sec.

Time taken by A to cover 100 m =  $\left(100 \text{ x } \frac{18}{25}\right)$  sec = 72 sec.

- ∴ Time taken by B to cover 92 m = (72 + 8) = 80 sec.
- ∴ B's speed =  $\left(\frac{92}{80} \times \frac{18}{5}\right)$  kmph = 4.14 kmph.





In a 500 m race, the ratio of the speeds of two contestants A and B is 3: 4. A has a start of 140 m. Then, A wins by:

- A. 60 m
- B. 40 m
- C. 20 m
- D. 10 m

Answer: Option C

#### Explanation:

To reach the winning post A will have to cover a distance of (500 - 140)m, i.e., 360 m.

While A covers 3 m, B covers 4 m.

While A covers 360 m, B covers  $\left(\frac{4}{3} \times 360\right)$ m = 480 m.

Thus, when A reaches the winning post, B covers 480 m and therefore remains 20 m behind.

∴ A wins by 20 m.







In a 100 m race, A beats B by 10 m and C by 13 m. In a race of 180 m, B will beat C by:

- A. 5.4 m
- B. 4.5 m
- C. 5 m
- D. 6 m

Answer: Option D

#### Explanation:

A: B = 100: 90.

A: C = 100:87.

$$\frac{B}{C} = \frac{B}{A} \times \frac{A}{C} = \frac{90}{100} \times \frac{100}{87} = \frac{30}{29}$$

When B runs 30 m, C runs 29 m.

When B runs 180 m, C runs  $\left(\frac{29}{30} \times 180\right)$  m = 174 m.

→ B beats C by (180 - 174) m = 6 m.







At a game of billiards, A can give B 15 points in 60 and A can give C to 20 points in 60. How many points can B give C in a game of 90?

- A. 30 points
- B. 20 points
- C. 10 points
- D. 12 points

Answer: Option C

#### **Explanation:**

A: B = 60: 45.

A: C = 60: 40.

$$\therefore \ \frac{B}{C} = \left(\frac{B}{A} \times \frac{A}{C}\right) = \left(\frac{45}{60} \times \frac{60}{40}\right) = \frac{45}{40} = \frac{90}{80} = 90:80.$$

∴ B can give C 10 points in a game of 90.



# X

# **RACES**



In 100 m race, A covers the distance in 36 seconds and B in 45 seconds. In this race A beats B by:

- A. 20 m
- B. 25 m
- C. 22.5 m
- D. 9 m

Answer: Option A

### Explanation:

Distance covered by B in 9 sec. =  $\left(\frac{100}{45} \times 9\right)$ m = 20 m.

∴ A beats B by 20 metres.







In a game of 100 points, A can give B 20 points and C 28 points. Then, B can give C:

- A. 8 points
- B. 10 points
- C. 14 points
- D. 40 points

Answer: Option B

#### Explanation:

A: B = 100: 80.

A: C = 100: 72.

$$\cdot \cdot \cdot \frac{B}{C} = \left(\frac{B}{A} \times \frac{A}{C}\right) = \left(\frac{80}{100} \times \frac{100}{72}\right) = \frac{10}{9} = \frac{100}{90} = 100 : 90.$$

B can give C 10 points.







In a 200 metres race A beats B by 35 m or 7 seconds. A's time over the course is:

- A. 40 sec
- B. 47 sec
- C. 33 sec
- D. None of these

Answer: Option C

#### Explanation:

B runs 35 m in 7 sec.

∴ B covers 200 m in  $\left(\frac{7}{35} \times 200\right) = 40 \text{ sec.}$ 

B's time over the course = 40 sec.

∴ A's time over the course (40 - 7) sec = 33 sec.







In a 100 m race, A can beat B by 25 m and B can beat C by 4 m. In the same race, A can beat C by:

- A. 21 m
- B. 26 m
- C. 28 m
- D. 29 m

Answer: Option C

#### Explanation:

A: B = 100:75

B: C = 100:96.

∴ A: C = 
$$\left(\frac{A}{B} \times \frac{B}{C}\right) = \left(\frac{100}{75} \times \frac{100}{96}\right) = \frac{100}{72} = 100:72.$$

.. A beats C by (100 - 72) m = 28 m.







In a race of 200 m, A can beat B by 31 m and C by 18 m. In a race of 350 m, C will beat B by:

- A. 22.75 m
- B. 25 m
- C. 19.5 m
- **D.**  $7\frac{4}{7}$  m

#### Answer: Option B

#### Explanation:

A: B = 200: 169.

A: C = 200: 182.

$$\frac{C}{B} = \left(\frac{C}{A} \times \frac{A}{B}\right) = \left(\frac{182}{200} \times \frac{200}{169}\right) = 182 : 169.$$

When C covers 182 m, B covers 169 m.

When C covers 350 m, B covers  $\left(\frac{169}{182} \times 350\right)$ m = 325 m.

Therefore, C beats B by (350 - 325) m = 25 m.







In a 300 m race A beats B by 22.5 m or 6 seconds. B's time over the course is:

- A. 86 sec
- B. 80 sec
- C. 76 sec
- D. None of these

Answer: Option B

#### **Explanation:**

B runs  $\frac{45}{2}$  m in 6 sec.

∴ B covers 300 m in 
$$\left(6 \times \frac{2}{45} \times 300\right)$$
 sec = 80 sec.







# THANK YOU

