

SNS COLLEGE OF TECHNOLOGY



(An Autonomous Institution)

Approved by AICTE, New Delhi, Affiliated to Anna University, Chennai Accredited by NAAC-UGC with 'A++' Grade (Cycle III) & Accredited by NBA (B.E - CSE, EEE, ECE, Mech & B.Tech.IT) COIMBATORE-641 035, TAMIL NADU

DEPARTMENT OF COMPUTER APPLICATIONS

23CAT605 – WEB STACK DEVELOPMENT

UNIT – I: OVERVIEW OF WEB TECHNOLOGIES & HTML 5

TOPIC: WEB SERVICES





Web service is a standardized medium to propagate communication between the

client and server applications on the WWW (World Wide Web).

A web service is a software module that is designed to perform a certain set of


tasks.

Request Request Server Response Response






- A Web Service is can be defined by following ways:
- > It is a client-server application or application component for communication.
- The method of communication between two devices over the network.
- It is a software system for the interoperable machine to machine communication.
- It is a collection of standards or protocols for exchanging information between two devices or application.





Why application needs to communicate?








How do Web Services Work?



- ✓ Web services use the request-response method to communicate among applications.
- For any communication, we need a medium and a common format that can be understood by everyone, in the case of web services medium is the internet and the common format is the XML (Extensible Markup Language) format as every programming language can understand the XML markup language.
- \checkmark A client is the one that requests (RPC) some service from the server that is known as the service provider.
- ✓ The request is sent through a message which is in common XML format and in response to that request the service provider will respond with a message in a common format (.i.e. XML).





Web Service Components



- **1. SOAP**: SOAP stands for **Simple Object Access Protocol**. It is the protocol stating how the communication between the application is going to happen.
- **2. WSDL**: It stands for **Web Services Description Language** which is the XML document containing the rules for communication among different software. It defines that:
 - How that service can be accessed by the system requesting for it from other systems?
 - **▶** What is the name of the service?
 - **▶** What are the specific parameter needed for accessing that service, what would be the return type?
 - **▶** What are the error messages that would be displayed in case of any issue while accessing the data?
- **3. UDDI: Universal Description, Discovery, and Integration** is the full form for the UDDI. It is a directory that provides us the detail that which software needs to be contacted for the particular type of data.



RESTful Web Service

SOAP Web Services






- **➤** SOAP stands for **Simple Object Access Protocol**.
- > These protocols are based on XML which is a lightweight data exchange language.
- > These protocols are independent of language and can be run on any platform.
- > SOAP supports both **stateful and stateless operations**.
- ➤ Stateful means that the **server keeps track of the information received from the client** on each request.

 Eg: Login activities, sessions in ecommerce or any sites.
- ➤ While Stateless means that each request contains enough information about the state of the client and thus server does not need to bother about saving the state of the client thus increasing the speed of communication. Eg: Weather services, Currency conversions.
- ➤ Many companies such as **IBM**, **Microsoft** are producing an implementation of SOAP into their systems.





- ➤ Only the structure of the XML document, not the content, follows a pattern.
- ➤ The best thing about Web services and SOAP is that everything is sent through **HTTP**, the standard web protocol.
- ➤ A root element known as the element is required in every SOAP document. In an XML document, the root element is the first element.
- ➤ The "envelope" is separated into two halves. The header comes first, followed by the body. The routing data, or information that directs the XML document to which client it should be sent to, is contained in the header. The real message will be in the body.








If a client wants to fetch a school's student data, by sending in the student's Roll No. in the request, he can do so using web services. But how will the client know, which URL to call and what to send in the request?

Every application serving SOAP requests, has a WSDL file. WSDL is an XML, and it stands for Web Service Description

Language. WSDL describes all the methods
available in the web service, along with the
request and response types. It describes the
contract between service and client. SOAP
was intended to be a way to do remote procedure
calls to remote objects by sending XML over HTTP.







- **▶** It stands for **Representational State Transfer.**
- > They are also language and platform-independent and are faster in comparison to SOAP.
- ➤ Nowadays RESTful web services are more used than SOAP.
- > They treat the **data as resources.**
- ➤ REST is not a set of standards or rules, rather it is a style of software architecture. The applications which follow this architecture are referred to as **RESTful**
- ➤ Unlike SOAP which targets the actions, REST concerns more on the resources. REST locates the resources by using URL and it depends on the type of transport protocol(with HTTP GET, POST, PUT, DELETE,...) for the actions to be performed on the resources. The REST service locates the resource based on the URL and performs the action based on the transport action verb. It is more of architectural style and conventions based.