



**SNS COLLEGE OF TECHNOLOGY**

Coimbatore – 35

**An Autonomous Institution**

Accredited by NBA – AICTE and Accredited by

NAAC – UGC with 'A++' Grade

Approved by AICTE, New Delhi & Affiliated to


Anna University, Chennai



# Artificial Neural Networks



# Artificial Neural Networks



Ahmad Aljebaly

Artificial Neural Networks/Rajarajeswari.S/AP/AIML/SNSCT



# History of Artificial Neural Networks



Since then, research on artificial neural networks has remained active, leading to many new network types, as well as hybrid algorithms and hardware for neural information processing.



# Artificial Neural Network

- An artificial neural network consists of a pool of simple processing units which communicate by sending signals to each other over a large number of weighted connections.



# Artificial Neural Network

- A set of major aspects of a parallel distributed model include:
  - a set of processing units (cells).
  - a state of activation for every unit, which equivalent to the output of the unit.
  - connections between the units. Generally each connection is defined by a weight.
  - a propagation rule, which determines the effective input of a unit from its external inputs.
  - an activation function, which determines the new level of activation based on the effective input and the current activation.
  - an external input for each unit.
  - a method for information gathering (the learning rule).
  - an environment within which the system must operate, providing input signals and \_ if necessary \_ error signals.



# Computers vs. Neural Networks



## “Standard” Computers

- one CPU
- fast processing units
- reliable units
- static infrastructure

## Neural Networks

- highly parallel processing
- slow processing units
- unreliable units
- dynamic infrastructure



# Artificial Neural Networks?



- There are two basic reasons why we are interested in building artificial neural networks (ANNs):
  - **Technical viewpoint:** Some problems such as character recognition or the prediction of future states of a system require massively parallel and adaptive processing.
  - **Biological viewpoint:** ANNs can be used to replicate and simulate components of the human (or animal) brain, thereby giving us insight into natural information processing.



# Artificial Neural Networks

- The “building blocks” of neural networks are the **neurons**.
  - In technical systems, we also refer to them as **units** or **nodes**.
- Basically, each neuron
  - receives **input** from many other neurons.
  - changes its internal state (**activation**) based on the current input.
  - sends **one output signal** to many other neurons, possibly including its input neurons (recurrent network).






# Artificial Neural Networks

- Information is transmitted as a series of electric impulses, so-called **spikes**.
- The **frequency** and **phase** of these spikes encodes the information.
- In biological systems, one neuron can be connected to as many as **10,000** other neurons.
- Usually, a neuron receives its information from other neurons in a confined area, its so-called **receptive field**.



# How do ANNs work?

- An artificial neural network (ANN) is either a **hardware implementation** or a **computer program** which strives to simulate the information processing capabilities of its biological exemplar. ANNs are typically composed of a great number of interconnected artificial neurons. The artificial neurons are simplified models of their biological counterparts.
- ANN is a technique for solving problems by constructing software that works like our brains.





# How do our brains work?


- The Brain is A massively parallel information processing system.
- Our brains are a huge network of processing elements. A typical brain contains a network of 10 billion neurons.





# How do our brains work?

- A processing element




Dendrites: Input  
Cell body: Processor  
Synaptic: Link  
Axon: Output



# How do our brains work?

- A processing element




A neuron is connected to other neurons through about *10,000 synapses*



# How do our brains work?

- A processing element




A neuron receives input from other neurons. Inputs are combined.





# How do our brains work?

- A processing element




Once input exceeds a critical level, the neuron discharges a spike - an electrical pulse that travels from the body, down the axon, to the next neuron(s)



# How do our brains work?

- A processing element




The axon endings almost touch the dendrites or cell body of the next neuron.





# How do our brains work?

- A processing element




Transmission of an electrical signal from one neuron to the next is effected by neurotransmitters.



# How do our brains work?

- A processing element




Neurotransmitters are chemicals which are released from the first neuron and which bind to the Second.



# How do our brains work?

- A processing element




This link is called a synapse. The strength of the signal that reaches the next neuron depends on factors such as the amount of neurotransmitter available.




# How do ANNs work?

## Biological Neuron



## Artificial Neuron




An artificial neuron is an imitation of a human neuron



# How do ANNs work?


- Now, let us have a look at the model of an artificial neuron.

## A Single Neuron






# How do ANNs work?





# How do ANNs work?


Not all inputs are equal





# How do ANNs work?


The signal is not passed down to the next neuron verbatim  
next neuron verbatim







The output is a function of the input, that is affected by the weights, and the transfer functions





# Artificial Neural Networks

- An ANN can:
  1. compute *any computable* function, by the appropriate selection of the network topology and weights values.
  2. learn from experience!
    - Specifically, by trial-and-error



# Learning by trial-and-error

## Continuous process of:

### ➤ Trial:

Processing an input to produce an output (In terms of ANN: Compute the output function of a given input)

### ➤ Evaluate:

Evaluating this output by comparing the actual output with the expected output.

### ➤ Adjust:

Adjust the *weights*.



# How it works?

- Set initial values of the weights randomly.
- Input: truth table of the XOR
- Do
  - Read input (e.g. 0, and 0)
  - Compute an output (e.g. 0.60543)
  - Compare it to the expected output. (Diff= 0.60543)
  - Modify the weights *accordingly*.
- Loop until a condition is met
  - Condition: certain number of iterations
  - Condition: error threshold



# Design Issues

- Initial weights (small random values  $\in [-1,1]$ )
- Transfer function (How the inputs and the weights are combined to produce output?)
- Error estimation
- Weights adjusting
- Number of neurons
- Data representation
- Size of training set



# Transfer Functions

- **Linear:** The output is proportional to the total weighted input.
- **Threshold:** The output is set at one of two values, depending on whether the total weighted input is greater than or less than some threshold value.
- **Non-linear:** The output varies continuously but not linearly as the input changes.



# Error Estimation

- The **root mean square error (RMSE)** is a frequently-used measure of the differences between values predicted by a model or an estimator and the values actually observed from the thing being modeled or estimated



# Weights Adjusting

- After each iteration, weights should be adjusted to minimize the error.
  - All possible weights
  - Back propagation





# Back Propagation

- Back-propagation is an example of supervised learning is used at each layer to minimize the error between the layer's response and the actual data
- The error at each hidden layer is an average of the evaluated error
- Hidden layer networks are trained this way



# Back Propagation

- $N$  is a neuron.
- $N_w$  is one of  $N$ 's inputs weights
- $N_{out}$  is  $N$ 's output.
- $N_w = N_w + \Delta N_w$
- $\Delta N_w = N_{out} * (1 - N_{out}) * N_{ErrorFactor}$
- $N_{ErrorFactor} = N_{ExpectedOutput} - N_{ActualOutput}$
- This works only for the last layer, as we can know the actual output, and the expected output.



# Number of neurons

- Many neurons:
  - Higher accuracy
  - Slower
  - Risk of over-fitting
    - Memorizing, rather than understanding
    - The network will be useless with new problems.
- Few neurons:
  - Lower accuracy
  - Inability to learn at all
- Optimal number.



# Data representation

- Usually input/output data needs pre-processing
- Pictures
  - Pixel intensity
- Text:
  - A pattern



# Size of training set

- No one-fits-all formula
- Over fitting can occur if a “good” training set is not chosen
- What constitutes a “good” training set?
  - Samples must represent the general population.
  - Samples must contain members of each class.
  - Samples in each class must contain a wide range of variations or noise effect.
- The size of the training set is related to the number of hidden neurons