

SNS COLLEGE OF TECHNOLOGY



Coimbatore-35. An Autonomous Institution

COURSE NAME : 19CSO303 WEB DESIGNING

III YEAR/ VI SEMESTER

TOPIC : XML SYNTAX RULES







- The XML Prolog
- This line is called the XML prolog:
- <?xml version="1.0" encoding="UTF-8"?>
- The XML prolog is optional. If it exists, it must come first in the document.







All XML Elements Must Have a Closing Tag

- In XML, it is illegal to omit the closing tag. All elements must have a closing tag:
- This is a paragraph.







XML Tags are Case Sensitive

- XML tags are case sensitive. The tag <Letter> is different from the tag <letter>.
- Opening and closing tags must be written with the same case:
- <message>This is correct</message>







Entity References

- Some characters have a special meaning in XML.
- If you place a character like "<" inside an XML element, it will generate an error because the parser interprets it as the start of a new element.
- This will generate an XML error:
- <message>salary < 1000</message>
- To avoid this error, replace the "<" character with an entity reference:

<message>salary < 1000</message>







There are 5 pre-defined entity references in XML:

<	<	less than	
>	>	greater than	
&	&	ampersand	
'	Λ.	apostrophe	
"	"	quotation mark	







Valid XML Documents :

- A "Valid" XML document is "Well Formed", as well as it conforms to the rules of a DTD:
- A DTD defines the structure and the legal elements and attributes of an XML document.





