



SNS COLLEGE OF TECHNOLOGY

Coimbatore-35

An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF COMPUTER APPLICATIONS

23CAT606 – JAVA PROGRAMMING
I YEAR II SEM

UNIT III – NETWORKING AND I/O PACKAGES

TOPIC –Input Output Packages



Definition: **Java I/O** (Input and Output) is used *to process the input and produce the output.*

1. java.io package contains all the classes required for input and output operations.
2. perform file handling in Java by Java I/O API.

Types

- 1) **System.out:** standard output stream
- 2) **System.in:** standard input stream
- 3) **System.err:** standard error stream

Stream



1. A stream is a sequence of data.
2. In Java, a stream is composed of bytes.

Example

```
System.out.println("simple message");  
System.err.println("error message");  
int i=System.in.read();
```




IO Packages





Input/OutputStream






OutputStream class

| Method | Description |
|---|---|
| 1) public void write(int) throws IOException | is used to write a byte to the current output stream. |
| 2) public void write(byte[]) throws IOException | is used to write an array of byte to the current output stream. |
| 3) public void flush() throws IOException | flushes the current output stream. |
| 4) public void close() throws IOException | is used to close the current output stream. |

OutputStream Hierarchy






InputStream class

| Method | Description |
|---|--|
| 1) public abstract int read()throws IOException | reads the next byte of data from the input stream. It returns -1 at the end of the file. |
| 2) public int available()throws IOException | returns an estimate of the number of bytes that can be read from the current input stream. |
| 3) public void close()throws IOException | is used to close the current input stream. |

InputStream Hierarchy





Example: Java FileOutputStream Example 1: write byte

```
import java.io.FileOutputStream;
public class FileOutputStreamExample {
    public static void main(String args[]){
        try{
            FileOutputStream fout=new FileOutputStream("D:\\testout.txt");
            fout.write(65);
            fout.close();
            System.out.println("success...");
        }catch(Exception e){System.out.println(e);}
    }
}
```

Output:
Success...
The content of a text file **testout.txt** is set with the data **A**.



Java FileOutputStream example 2: write string

```
import java.io.FileOutputStream;

public class FileOutputStreamExample {

    public static void main(String args[]){

        try{

            FileOutputStream fout=new FileOutputStream("D:\\testout.txt");

            String s="Welcome to javaTpoint.";

            byte b[]=s.getBytes();//converting string into byte array

            fout.write(b);

            fout.close();

            System.out.println("success...");

        }catch(Exception e){System.out.println(e);}

    }

}
```

Output: **Success...**

The content of a text file **testout.txt** is set with the data **Welcome to javaTpoint.**

testout.txt

Welcome to javaTpoint.



Java FileInputStream example 1: read single character

```
import java.io.FileInputStream;
public class DataStreamExample {
    public static void main(String args[]){
        try{
            FileInputStream fin=new FileInputStream("D:\\testout.txt");
            int i=fin.read();
            System.out.print((char)i);

            fin.close();
        }catch(Exception e){System.out.println(e);}
    }
}
```

a text file named as "**testout.txt**" is required to be created.

```
Welcome to javatpoint.
```

Output:

```
W
```



Java FileInputStream example 2: read all characters

```
package com.javatpoint;

import java.io.FileInputStream;

public class DataStreamExample {
    public static void main(String args[]){
        try{
            FileInputStream fin=new FileInputStream("D:\\testout.txt");
            int i=0;
            while((i=fin.read())!=-1){
                System.out.print((char)i);
            }
            fin.close();
        }catch(Exception e){System.out.println(e);}
    }
}
```

Output:

```
Welcome to javaTpoint
```



Thank
you

