



SNS COLLEGE OF TECHNOLOGY

Coimbatore-35
An Autonomous Institution



Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A++' Grade
Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF INFORMATION TECHNOLOGY

19CSE303 - ARTIFICIAL INTELLIGENCE
III YEAR IV SEM

UNIT I – PROBLEM SOLVING

TOPIC – Constraint Satisfaction Problems



Constraint satisfaction problems (CSPs)

- CSP:
 - state is defined by variables X_i with values from domain D_i
 - goal test is a set of constraints specifying allowable combinations of values for subsets of variables
- Allows useful general-purpose algorithms with more power than standard search algorithms




Example: Map-Coloring



- **Variables** WA, NT, Q, NSW, V, SA, T
- **Domains** $D_i = \{\text{red, green, blue}\}$
- **Constraints:** adjacent regions must have different colors
- e.g., $WA \neq NT$



Example: Map-Coloring





- Solutions are **complete** and **consistent** assignments, e.g., WA = red, NT = green, Q = red, NSW = green, V = red, SA = blue, T = green



Constraint graph



- **Binary CSP:** each constraint relates two variables
- **Constraint graph:** nodes are variables, arcs are constraints





Varieties of CSPs



■ Discrete variables

■ finite domains:

- n variables, domain size $d \rightarrow O(d^n)$ complete assignments
- e.g., 3-SAT (NP-complete)

■ infinite domains:

- integers, strings, etc.
- e.g., job scheduling, variables are start/end days for each job:
$$StartJob_1 + 5 \leq StartJob_3$$

■ Continuous variables

- e.g., start/end times for Hubble Space Telescope observations
- linear constraints solvable in polynomial time by linear programming



Varieties of constraints




- **Unary** constraints involve a single variable,
 - e.g., $SA \neq \text{green}$
- **Binary** constraints involve pairs of variables,
 - e.g., $SA \neq WA$
- **Higher-order** constraints involve 3 or more variables,
 - e.g., $SA \neq WA \neq NT$



Example: Cryptarithmic



$$\begin{array}{r}
 \text{TWO} \\
 + \text{TWO} \\
 \hline
 \text{FOUR}
 \end{array}$$



- Variables: $F T U W R O$
- Domains: $\{0, 1, 2, 3, 4, 5, 6, 7, 8, 9\}$
- Constraints: $Alldiff(F, T, U, W, R, O)$

$X_1 X_2 X_3$

$\{0, 1\}$

- $O + O = R + 10 \cdot X_1$
- $X_1 + W + W = U + 10 \cdot X_2$
- $X_2 + T + T = O + 10 \cdot X_3$
- $X_3 = F, T \neq 0, F \neq 0$



Real-world CSPs




- Assignment problems
 - e.g., who teaches what class
- Timetabling problems
 - e.g., which class is offered when and where?
- Transportation scheduling
- Factory scheduling

- Notice that many real-world problems involve real-valued variables




Standard search formulation



Let's try the standard search formulation.

We need:

- Initial state: none of the variables has a value (color)
- Successor state: one of the variables without a value will get some value.
- Goal: all variables have a value and none of the constraints is violated.



There are $N! \times D^N$ nodes in the tree but only D^N distinct states??




Backtracking (Depth-First) search


- Special property of CSPs: They **are commutative**:
This means: the order in which we assign variables does not matter.

$$\begin{matrix} \text{NT} \\ \text{WA} \end{matrix} = \begin{matrix} \text{WA} \\ \text{NT} \end{matrix}$$

- Better search tree: First **order** variables, then assign them values **one-by-one**.



D
D²
D^N





Backtracking example






Backtracking example






Backtracking example





Backtracking example





Improving backtracking efficiency


- **General-purpose** methods can give huge gains in speed:
 - Which variable should be assigned next?
 - In what order should its values be tried?
 - Can we detect inevitable failure early?
- We'll discuss heuristics for all these questions in the following.



Which variable should be assigned next?
→ minimum remaining values heuristic



- Most constrained variable:
choose the variable with the fewest legal values




- a.k.a. **minimum remaining values (MRV)** heuristic
- Picks a variable which will cause failure as soon as possible, allowing the tree to be

Which variable should be assigned next?




→ degree heuristic

- Tie-breaker among most constrained variables



- Most *constraining* variable:
 - choose the variable with the most constraints on remaining variables (most edges in graph)




In what order should its values be tried?


→ least constraining value heuristic



- *Given a variable*, choose the least constraining value:



- the one that rules out the fewest values in the



- Leaves maximal flexibility for a solution.

- Combining these heuristics makes 1000




Rationale for MRV, DH, LCV

- In all cases we want to enter the most promising branch, but we also want to detect inevitable failure as soon as possible.
- MRV+DH: the variable that is most likely to cause failure in a branch is assigned first. E.g X1-X2-X3, values is 0,1, neighbors cannot be the same.
- LCV: tries to avoid failure by assigning values that leave maximal flexibility for the remaining variables.



Can we detect inevitable failure early? → forward checking

- **Idea:**
 - Keep track of remaining legal values for unassigned variables that are connected to current variable.
 - Terminate search when any variable has no legal values






Forward checking



- Idea:
 - Keep track of remaining legal values for unassigned variables
 - Terminate search when any variable has no legal values






Forward checking



- Idea:
 - Keep track of remaining legal values for unassigned variables
 - Terminate search when any variable has no legal values



WA	NT	Q	NSW	V	SA	T
Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue
Red, Red	Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Green, Blue	Red, Green, Blue
Red, Red	Blue	Green, Green	Red, Blue	Red, Green, Blue	Blue	Red, Green, Blue







Forward checking



- Idea:
 - Keep track of remaining legal values for unassigned variables
 - Terminate search when any variable has no legal values



WA	NT	Q	NSW	V	SA	T
Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue
Red, Green, Blue	Green, Blue	Red, Green, Blue	Red, Green, Blue	Red, Green, Blue	Green, Blue	Red, Green, Blue
Red, Green, Blue	Blue	Green, Blue	Red, Blue	Red, Green, Blue	Blue	Red, Green, Blue
Red, Green, Blue	Blue	Green, Blue	Red	Blue		Red, Green, Blue







Constraint propagation



- Forward checking only looks at variables connected to current value in constraint graph.





- NT and SA cannot both be blue!
- Constraint propagation repeatedly enforces constraints locally



Arc consistency



- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y




constraint propagation propagates arc consistency on the graph.




Arc consistency

- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y



inconsistent arc.
remove blue from source \rightarrow consistent arc.






Arc consistency



- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff
for **every** value x of X there is **some** allowed y



this arc just became inconsistent



- If X loses a value, neighbors of X need to be rechecked:
i.e. incoming arcs can become inconsistent again





Arc consistency



- Simplest form of propagation makes each arc **consistent**
- $X \rightarrow Y$ is consistent iff

for **every** value x of X there is **some** allowed y



- If X loses a value, neighbors of X need to be rechecked
- Arc consistency detects failure earlier than forward checking
- Time complexity: $O(n^2d)$




Arc Consistency

- This is a propagation algorithm. It's like sending **messages** to neighbors on the graph! How do we **schedule** these messages?
- Every time a domain changes, all incoming messages need to be re-send. Repeat until convergence → no message will change any domains.
- Since we only remove values from domains when they can never be part of a solution, an empty domain means no solution possible at all → back out of that branch.
- Forward checking is simply sending messages into a variable that just 30
get its value assigned. First step of arc consistency




Try it yourself



Use all heuristics including arc-propagation to solve this problem.



Tree-structured CSPs





Theorem: if the constraint graph has no loops, the CSP can be solved in $O(n d^2)$ time

Compare to general CSPs, where worst-case time is $O(d^n)$



Algorithm for tree-structured CSPs

1. Choose a variable as root, order variables from root to leaves such that every node's parent precedes it in the ordering



2. For j from n down to 2, apply REMOVEINCONSISTENT($Parent(X_j), X_j$)
3. For j from 1 to n , assign X_j consistently with $Parent(X_j)$


Note: After the backward pass, there is guaranteed to be a legal choice for a child node for *any* of its leftover values.

This removes any inconsistent values from $Parent(X_j)$, it applies arc-consistency moving backwards.



Nearly tree-structured CSPs

Conditioning: instantiate a variable, prune its neighbors' domains




Cutset conditioning: instantiate (in all ways) a set of variables such that the remaining constraint graph is a tree

Cutset size $c \Rightarrow$ runtime $O(d^c \cdot (n - c)d^2)$, very fast for small c



Junction Tree Decompositions





Local search for CSPs




- **Note:** The path to the solution is unimportant, so we can apply local search!
- To apply to CSPs:
 - allow states with unsatisfied constraints
 - operators **reassign** variable values
- Variable selection: randomly select any conflicted variable
- Value selection by **min-conflicts** heuristic:
 - choose value that violates the fewest constraints
 - i.e., hill-climb with $h(n)$ = total number of violated constraints



Example: 4-Queens

- **States:** 4 queens in 4 columns ($4^4 = 256$ states)
- **Actions:** move queen in column
- **Goal test:** no attacks
- **Evaluation:** $h(n) =$ number of attacks






Performance of min-conflicts

Given random initial state, can solve n -queens in almost constant time for arbitrary n with high probability (e.g., $n = 10,000,000$)

The same appears to be true for any randomly-generated CSP **except** in a narrow range of the ratio

$$R = \frac{\text{number of constraints}}{\text{number of variables}}$$





Summary



- CSPs are a special kind of problem:
 - states defined by values of a fixed set of variables
 - goal test defined by constraints on variable values
- Backtracking = depth-first search with one variable assigned per node
- Variable ordering and value selection heuristics help significantly
- Forward checking prevents assignments that guarantee later failure
- Constraint propagation (e.g., arc consistency) does additional work to constrain values and detect inconsistencies