

### SNS COLLEGE OF TECHNOLOGY



# Coimbatore-36. An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

**COURSE NAME: 23ITT101 – C AND DATA STRUCTURES PROGRAMMING** 

I YEAR/ II SEMESTER

UNIT – I INTRODUCTION TO C

**Topic:** Algorithm ,Building blocks of Algorithm

Ms.K.Papithasri

**Assistant Professor** 

Department of Computer Science and Engineering



# Algorithms




**Algorithm** is a sequence of instructions that describe a method for solving a problem. It is a step by step procedure for solving a problem

### **Properties of Algorithms**

- Should be written in simple English
- ach and every instruction should be precise and unambiguous
- Instructions in an algorithm should not be repeated infinitely
- Algorithm should conclude after a finite number of steps
- Should have an end point
- Derived results should be obtained only after the algorithm terminates

### Qualities of a good algorithm

- 1. Time
- 2. Memory
- 3. Accuracy





# **Algorithms**



**Example:** C program for Print the "WELCOME TO SNSCT"

### **Program:**

1. #include <stdio.h>

//where the execution of program begins

- 1. Int main()
- 2. {
- Printf(" WELCOME TO SNSCT");
- 4. Return 0;
- 5. }

### **Output:**

WELCOME TO SNSCT

### **Algorithm:**

**Step 1:** Start

**Step 2:** Print "WELCOME TO SNSCT"

Step 3: Stop

### **Flowchart:**







### Algorithms can be constructed from basic building blocks namely,

- 1. Statements:
- 2. State
- 3. Control Flow
- 4. Functions







#### 1.Statements:

Statement is a single action in a computer.

- 1. Input Data
- 2. Process Data
- 3. Output Data

#### **2.State**:

Transition from one process to another process under specified condition with in a time is called state

#### 3.Control flow:


The process of executing the individual statements in a given order is called control flow

The control can be executed in three ways

- 1. Sequence
- 2. Selection
- 3. Iteration











**1.Sequence:** All the instructions are executed one after another is called sequence execution


**Example:** Algorithm for Addition of TWO NUMBERS

### To find sum of two numbers

#### Algorithm

- 1. Start
- Read a, b
- 3. c = a + b
- Print or display c
- Stop

### Flowchart



#### Program

```
#include<stdio.h>
int main()
{
   int a, b, c;
   printf("Enter value of a: ");
   scanf("%d", &a);
   printf("Enter value of b: ");
   scanf("%d", &b);
   c = a+b;
   printf("Sum of given two numbers is: %d", c);
return 0;
}
```





**2.Selection:** A selection statement causes the program control to be transferred to a specific part of the program based upon the condition. If the conditional test is true, one part of the program will be executed, otherwise it will execute the other part of the program.

**Example:** Algorithm for Greatest of TWO NUMBERS

### Greatest of two numbers

#### Algorithm Flowchart Program #include<stdio.h> Start int main() Start Read A.B Read A.B If A > B then int A. B: Print A is large else printf("Enter values of A, B: "); Yes Is A>B? Print B is large scanf("%d %d", &A, &B); Stop Write Write if (A>B) B is Lurge A is Lurge printf("A is Larger"); printf("B is Larger"); return 0; Stop






**3.Iteration:**In programs, certain set of statements are executed again and again based upon conditional test. It executed more than one time. This type of execution is called looping or iteration.

**Example:** Algorithm for sum of FIRST FIVE NATURAL NUMBERS

#### Find the Sum of First Five Natural Numbers







**4.Functions:** Function is a sub program which consists of block of code(set of instructions) that performs a particular task. For complex problems, the problem is been divided into smaller and simpler tasks during algorithm design.

### **Benefits of Using Functions:**


- Code reuse
- Reduction in line of code
- Easy to debug and test
- Easy to debug and test


### Main function()

Step 1: Start

Step 2: Call the function add()

Step 3: Stop





### sub function add()

**Step 1:** Function start

Step 2: Get a, b Values

Step 3: add c=a+b

**Step 4:** Print c

Step 5: Return







(Campibers)

5/29/2024 11