

Reg.No:

--	--	--	--	--	--	--	--



SNS College of Technology, Coimbatore-35.
(Autonomous)

B.E/B.Tech- Internal Assessment -II


Academic Year 2023-2024(EVEN)

Second Semester (Regulation R2023)

23ITT101 – PROGRAMMING IN C AND DATA STRUCTURES

Common to Aero, Auto, Agri, Mech, FT, MCT, Civil

Answer Key




Time: 1^{1/2} Hours

Maximum Marks: 50

Answer All Questions

PART A — (5 x 2 = 10 Marks)

- | | | |
|--|-----|-----|
| 1. Define function and its types of arguments.
A function is a set of statements enclosed within curly brackets ({}) that take inputs, do the computation, and provide the resultant output
Actual Arguments and Formal Arguments | CO2 | REM |
| 2. Write the syntax for function declaration. Give an example. | CO2 | APP |
| 3. Differentiate array and structure.
Array refers to a collection consisting of elements of homogeneous data type. Structure refers to a collection consisting of elements of heterogeneous data type | CO3 | ANA |
| 4. Define data structure.
A data structure is a way of organizing and storing data in a computer so that it can be accessed and used efficiently. | CO3 | UND |
| 5. List out the types of Data structures | CO3 | REM |



PART B — (2 x 13 = 26 Marks & 1 x 14 = 14 Marks)

6. (a) Write a C program to add 2 numbers by using with argument with return type method and with argument, without return type method

With arguments and with return value

```
void main()
{
    int a=6,b=7,c;
    c=add(a,b);
    printf("%d",c);
    getch();
}
int add(int i,int j)
{
    int k;
    k=i+j;
    return(k);
}
```

CO2 APP 13

with arguments and no return value

```
void main()
{
    int a=6,b=7;
    add(a,b);
    getch();
}
add(int i,int j)
{
    int k;
    k=i+j;
    printf("%d",k);
}
```

(OR)

- (b) Write a C Program to Search a given number in the given array.

Searching an Element in given Array

```
#include<stdio.h>
#include<conio.h>
void main()
{
    int a[5],i,k;
    printf("\nEnter the array Element");
    for(i=0;i<5;i++)
    scanf("%d",&a[i]);
```

```

printf("\n Enter the element to search");
scanf("%d",&k);
printf("\n ...Searching...");
for(i=0;i<5;i++)
{
if(k==a[i])
{
printf("\n Element found at %d position",i+1);
exit(0);
}
}
printf("\n Element not found");
}

```

7. (a) Explain briefly about the concept of one dimensional array with declaration and initialization with an example
The collection of data items can be stored under a one variable name using only one subscript such a variable is called one dimensional array.

Syntax:

```
datatype arrayname[Size];
```

Example:

```
int num[5];
```

One Dimensional array Initialization

After an array is declared its elements must be initialized .Otherwise it will contains an garbage values.

The array can be initialized by 2 stages

- ✓ At Compile time
- ✓ At Run time
- **At Compile time Initialization Syntax:**

```
datatype arrayname[Size]={list of values};
```

- **At Run time Initialization**

Arrays can be explicitly initialized at run time. Usually applied for larger arrays

1.Sum of Array Elements

```

#include<stdio.h>
#include<conio.h>
int main()
{
int i,sum=0,arr[5];
printf("Enter Array Elements");
for(i=0;i<5;i++)
{
scanf("%d",&arr[i]);
}
for(i=0;i<5;i++)
{
sum=sum+arr[i];
}
printf("Sum of Array of Elements%d",sum);
}

```

(OR)

Example: Input: arr[] = {63, 23, 14, 12, 9}

Output: {9, 12, 14, 23, 63}

Sorting the elements in given Array

```
#include<stdio.h>
#include<conio.h>
void main()
{
int i,j,n,a[10],temp;
clrscr();
printf("Enter the Number of Elements:\n");
scanf("%d",&n);
printf("Enter the Elements\n");
for(i=0;i<n;i++)
{
scanf("%d",&a[i]);
}
for(i=0;i<n;i++)
{
for(j=0;j<n;j++)
{
if(a[i]<a[j])
{
temp=a[i];
a[i]=a[j];
a[j]=temp;
}
}
}
printf("Elements Sorted in Ascending Order\n");
for(i=0;i<n;i++)
{
printf("%d\n",a[i]);
}
}
```

8. (a) Construct the c program for swapping 2 numbers with temporary variable using call by reference method with sample output

Call by reference

```
#include<stdio.h>
#include<conio.h>
void swap(int*,int*);
void main()
{
```

```

printf("%d %d",a,b);
swap(&a,&b);
printf("after swap% d %d",a,b);
}
void swap(int* x,int* y)
{
int temp=*x;
*x=*y;
*y=temp;
printf("%d %d",*x,*y);
}

```

CO2 APP 14

(OR)

- (b) Construct a program to display students name, mark for 5 subjects, average of marks and grade using structure

```

#include <stdio.h>
struct student {
    char name[50];
    int roll;
    float marks;
} s;

int main() {
    printf("Enter information:\n");
    printf("Enter name: ");
    fgets(s.name, sizeof(s.name), stdin);

    printf("Enter roll number: ");
    scanf("%d", &s.roll);
    printf("Enter marks: ");
    scanf("%f", &s.marks);

    printf("Displaying Information:\n");
    printf("Name: ");
    printf("%s", s.name);
    printf("Roll number: %d\n", s.roll);
    printf("Marks: %.1f\n", s.marks);

    return 0;
}

```

CO3 APP 14

(Note: Und-Understand Rem-Remember Ana-Analyze App-Apply)

Prepared By

Verified By

HoD