

SNS COLLEGE OF TECHNOLOGY



Coimbatore-35 An Autonomous Institution

Accredited by NBA – AICTE and Accredited by NAAC – UGC with 'A+' Grade Approved by AICTE, New Delhi & Affiliated to Anna University, Chennai

DEPARTMENT OF INFORMATION TECHNOLOGY

19ITT101-PROGRAMMING IN C AND DATA STRUCTURES

I YEAR - II SEM


UNIT 5 - Trees

TOPIC 1 – Trees

Trees




A tree is also one of the data structures that represent hierarchical data.



- ighthapping john is the CEO of the company, and John has two direct reports named as Steve and Rohan.
- > Steve has three direct reports named Lee, Bob, Ella where Steve is a manager.
- Emma has two direct reports named Tom and Raj. Tom has one direct report named Bill.
- This particular logical structure is known as a Tree. Its structure is similar to the real tree, so it is named a Tree.
- ➤ In this structure, the root is at the top, and its branches are moving in a downward direction.
- Therefore, we can say that the Tree data structure is an efficient way of storing the data in a hierarchical way.








- ➤ Root: The root node is the topmost node in the tree hierarchy. In other words, the root node is the one that doesn't have any parent.
- In the structure, node numbered 1 is the root node of the tree. If a node is directly linked to some other node, it would be called a parent-child relationship.








- Child node: If the node is a descendant of any node, then the node is known as a child node.
- ➤ Parent: If the node contains any sub-node, then that node is said to be the parent of that sub-node.
- Sibling: The nodes that have the same parent are known as siblings.
- ➤ Internal nodes: A node has atleast one child node known as an internal








- Leaf Node:- The node of the tree, which doesn't have any child node, is called a leaf node.
- A leaf node is the bottom-most node of the tree.
- There can be any number of leaf nodes present in a general tree.
- Leaf nodes can also be called external nodes.








- Ancestor node:- An ancestor of a node is any predecessor node on a path from the root to that node.
- The root node doesn't have any ancestors.
- ➤ In the tree shown in the image, nodes 1, 2, and 5 are the ancestors of node 10.
- Descendant: The immediate successor of the given node is known as a descendant of a node.
- ➤In the above figure, 10 is the descendant of node 5.



Binary Trees





- ➤ Binary Tree is a special data structure used for data storage purposes.
- A binary tree has a special condition that each node can have a maximum of two children.
- A binary tree has the benefits of both an ordered array and a linked list as search is as quick as in a sorted array and insertion or deletion operation are as fast as in linked list.