



DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

Concurrency Control – Need for Concurrency

Concurrency Control is the management procedure that is required for controlling concurrent execution of the operations that take place on a database.

But before knowing about concurrency control, we should know about concurrent execution.

Concurrent Execution in DBMS

- In a multi-user system, multiple users can access and use the same database at one time, which is known as the concurrent execution of the database. It means that the same database is executed simultaneously on a multi-user system by different users.
- While working on the database transactions, there occurs the requirement of using the database by multiple users for performing different operations, and in that case, concurrent execution of the database is performed.
- The thing is that the simultaneous execution that is performed should be done in an interleaved manner, and no operation should affect the other executing operations, thus maintaining the consistency of the database. Thus, on making the concurrent execution of the transaction operations, there occur several challenging problems that need to be solved.

Problems with Concurrent Execution

In a database transaction, the two main operations are **READ** and **WRITE** operations. So, there is a need to manage these two operations in the concurrent execution of the transactions as if these operations are not performed in an interleaved manner, and the data may become inconsistent. So, the following problems occur with the Concurrent Execution of the operations:

Problem 1: Lost Update Problems (W - W Conflict)

The problem occurs when two different database transactions perform the read/write operations on the same database items in an interleaved manner (i.e., concurrent execution) that makes the values of the items incorrect hence making the database inconsistent.



For example:

Consider the below diagram where two transactions T_X and T_Y , are performed on the same account A where the balance of account A is \$300.





DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

Time	т _х	ту
t1	READ (A)	—
t2	A = A - 50	
t ₃	_	READ (A)
t4	_	A = A + 100
t ₅	_	_
t ₆	WRITE (A)	_
t7		WRITE (A)

LOST UPDATE PROBLEM

- \circ At time t1, transaction T_x reads the value of account A, i.e., \$300 (only read).
- At time t2, transaction T_x deducts \$50 from account A that becomes \$250 (only deducted and not updated/write).
- $_{\rm O}$ Alternately, at time t3, transaction T_Y reads the value of account A that will be \$300 only because T_X didn't update the value yet.
- $_{\rm O}$ At time t4, transaction T_Y adds \$100 to account A that becomes \$400 (only added but not updated/write).
- $_{\odot}$ At time t6, transaction T_x writes the value of account A that will be updated as \$250 only, as T_Y didn't update the value yet.
- Similarly, at time t7, transaction T_Y writes the values of account A, so it will write as done at time t4 that will be \$400. It means the value written by T_X is lost, i.e., \$250 is lost.

Hence data becomes incorrect, and database sets to inconsistent.

Dirty Read Problems (W-R Conflict)

The dirty read problem occurs when one transaction updates an item of the database, and somehow the transaction fails, and before the data gets rollback, the updated database item is accessed by another transaction. There comes the Read-Write Conflict between both transactions.


For example:

Consider two transactions T_X and T_Y in the below diagram performing read/write operations on account A where the available balance in account A is \$300:





DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING



DIRTY READ PROBLEM

- $_{\odot}$ At time t1, transaction T_X reads the value of account A, i.e., \$300.
- $_{\odot}$ At time t2, transaction T_{X} adds \$50 to account A that becomes \$350.
- \circ At time t3, transaction T_x writes the updated value in account A, i.e., \$350.
- $_{\odot}$ Then at time t4, transaction T_{Y} reads account A that will be read as \$350.
- Then at time t5, transaction T_x rollbacks due to server problem, and the value changes back to \$300 (as initially).
- $_{\circ}$ But the value for account A remains \$350 for transaction T_Y as committed, which is the dirty read and therefore known as the Dirty Read Problem.

Unrepeatable Read Problem (W-R Conflict)

Also known as Inconsistent Retrievals Problem that occurs when in a transaction, two different values are read for the same database item.

For example:

Consider two transactions, T_X and T_Y , performing the read/write operations on account A, having an available balance = \$300. The diagram is shown below:

Time	тх	ту
t1	READ (A)	—
t2	_	READ (A)
t ₃	_	A = A + 100
t4	_	WRITE (A)
t ₅	READ (A)	—

UNREPEATABLE READ PROBLEM





DEPARTMENT OF COMPUTER SCIENCE AND ENGINEERING

- \circ At time t1, transaction T_x reads the value from account A, i.e., \$300.
- $_{\odot}$ At time t2, transaction T_{Y} reads the value from account A, i.e., \$300.
- $_{\odot}$ At time t3, transaction T_{Y} updates the value of account A by adding \$100 to the available balance, and then it becomes \$400.
- $_{\odot}$ At time t4, transaction T_{Y} writes the updated value, i.e., \$400.
- After that, at time t5, transaction T_x reads the available value of account A, and that will be read as \$400.
- \circ It means that within the same transaction T_x, it reads two different values of account A, i.e., \$ 300 initially, and after updation made by transaction T_y, it reads \$400. It is an unrepeatable read and is therefore known as the Unrepeatable read problem.

Thus, in order to maintain consistency in the database and avoid such problems that take place in concurrent execution, management is needed, and that is where the concept of Concurrency Control comes into role.

Concurrency Control

Concurrency Control is the working concept that is required for controlling and managing the concurrent execution of database operations and thus avoiding the inconsistencies in the database. Thus, for maintaining the concurrency of the database, we have the concurrency control protocols.

Concurrency Control Protocols

The concurrency control protocols ensure the *atomicity, consistency, isolation, durability* and *serializability* of the concurrent execution of the database transactions. Therefore, these protocols are categorized as:

- Lock Based Concurrency Control Protocol
- Time Stamp Concurrency Control Protocol
- Validation Based Concurrency Control Protocol